

**NATIONAL SCHOOL OF DRAMA
NEW DELHI**

NSD Web Notice: Short Term Notice Inviting Offers for purchase of Light equipments.

Offers are invited from Suppliers/dealers for Supply of Light equipments as per details in Annexure-A hereunder.

Suppliers/dealers having experience in working for cultural events of Central/State Govt.organizations /Autonomous bodies/Corporations/PSUs etc. Materials/equipments in required quantity as per requirement of NSD may please quote their barest minimum rates on or before 28th March, 2019 by 11.00 am in Sealed envelope to the Registrar, NSD, New Delhi

Registrar

Ref. No. NSD/CEN/TRP/2018-19

Dated: 23 March, 2019

Purchase of Light Equipments for NSD, Tripura Centre

Sl. No.	Name of Item Required	Quantity Required	Specifications	Amount/ Rs.
01	LED PEBBLE-CONVEX SPOT	06 nos.	<ul style="list-style-type: none"> • Single Chip Hi-power COB LED Lamp: 200w • Special Pebble-Convex Lens, producing slightly soft edged beam without Hot-Spots • Available in Warm White or Cool White • 0-100% smooth Flicker-Free Dimming • Beam Angle: manually adjustable from 5° to 60° (rear knob) • Forced Cooling with Liquid-Cooled Copper Heat-sink • DMX operation. 1 DMX channel (can patch as a Dimmer Ch.) • Master-slave operation with AUTO function • • Voltage: AC 90 – 260V @210W 	
02	LED PAR-II ~ RGBW	12 nos.	<ul style="list-style-type: none"> ➤ High-Power 4-in-1 RGBW LED Lamps: 18 x 10W (180 watts) ➤ Optics: 25 degree ➤ Auto operation with built-in programs. colour-changing, colour fade, strobe, colour macros ➤ DMX-512 operation ➤ ➤ Heavy-duty Heat-Sink and a low-noise Fan for efficient heat dissipation ➤ Master-slave operation ➤ Powercon IN & OUT for mains ➤ Supplied with one Powercon Mains & Link + one DMX cable ➤ Power: 90 – 260VAC – 50/60 Hz, 185 watts 	
03	LED PAR – ALL WHITE (ww)	06 nos.	<ul style="list-style-type: none"> ◆ Single Color : Warm White –High-Power “CREE” LED ◆ Lamps: 54 x 3W (162 watts) ◆ Beam Angle: 15 or 25 degree ◆ Supplied with 4-Leaf Barn-doors ◆ Forced Cooling with Good Heat sink ◆ 16bit DMX operation - 3 DMX channel ◆ Master-slave operation with AUTO function 	

			<ul style="list-style-type: none"> ◆ Optional 4-Leaf Barndoors ◆ Powercon IN & OUT connectors ◆ Voltage: AC 90 - 255V @165W 	
04	LED Profile Spot - RGBW	06 nos.	<ul style="list-style-type: none"> ➤ Fixed Beam Angles, with : 19° / 26° / 30° Optics ➤ 4-in-1 RGBW, 180w LED Lamp ➤ Average Lamp life of 50,000 Hrs. ➤ Four stainless-steel Shutter Blades - to create desirable shapes ➤ 4/9 Ch. DMX-512 with 16-bit resolution ➤ IP-20 rated - Indoors ➤ Voltage: AC 110-250V ~ 50-60 Hz 	
05	LED FRESNEL SPOT	06 nos.	<ul style="list-style-type: none"> • Single Chip He-power COB LED Lamp: 200w • Available in Warm White or Cool White • 0-100% smooth Flicker-Free Dimming • Beam Angle: manually adjustable from 10° to 70° (rear knob) • Optional 4-Leaf Barn-doors • Forced Cooling with Liquid-Cooled Copper Heat-sink • DMX operation. 1 DMX channel (can patch as a Dimmer Ch.) • Master-slave operation with AUTO function • Voltage: AC 90 - 260V @210V 	
06	PEARL-2010 DMX CONTRROLLER	01 nos.	<ul style="list-style-type: none"> ▪ 4 DMX lines with total of 2048 DMX Channels ▪ 240 Intelligent Fixtures + 240 Dimmer Channels ▪ Load and Save shows with Internal Flash Drive - provides enough storage for:- <ul style="list-style-type: none"> ○ The entire Fixture Library of more than 3,000 files ○ Over a hundred show files. ○ Removable external Memory Stick. ○ Cache the entire Fixture library of more than 3,000 files ▪ Theatrical Plotting & Playback functions ▪ Built-in Shape Generator for instant creation of patterns and effects ▪ 15 Playback Masters on 3 x 10 pages ▪ 450 memories, chases or cue lists ▪ MIDI and Sound to Light triggers ▪ Color VGA output as standard - can be used with Optional LCD monitor ▪ Supplied with LED work lamp ▪ Voltage: AC 110-250V ~ 50-60 Hz 	

07	Folding Double Extension Stand	10 nos.	<ul style="list-style-type: none">• Body: Tubing and aluminium die cast fittings.• Extendable upto 2.8mtrs.	
08	LED "Molefay" BLINDER LIGHT - RGBW	02 nos.	<ul style="list-style-type: none">➤ 2-Eyes "MOLEFAY" design➤ High-Power 4-in-1 RGBW "COB" LED Lamps: 2 x 150W (300 watts)➤ Optics: 80 degree Wide Flood➤ Individual Control of 2-Eyes➤ DMX operation using 6/10 DMX channels➤ Expandable both Horizontally & Vertically, with Inter-locking - Possible to create large MATRIX - for Pixel Mapping Effects➤ Powercon IN & OUT for Mains [supplied with 1xMains + 1xLink cable]➤ Voltage: AC 90 - 260 VAC, 50/60Hz - 330w	

Signature of the Bidder with date

Date: _____

Place: _____

(Name of the Firm/Agency and Stamp)
(With Address, Tel. No., Fax & Email)